Safety Data Sheet BL-3 Hot/G460 Releasemers Mold Release



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated	Pro	duct Name:	Releasomers Mold Release			
1070 Robert Fulton Hwy.		duct Code:	BL-3 Hot/G460			
Quarryville, PA 17566		duct Use:	Mold Release			
1-800-227-5538		hour emergency phone:	1-800-424-9300 [CHEMTREC]			
1 000 227 0000	21	nour entergency phone.				
2. HAZARD IDENTIFICA	ATION					
POTENTIAL HEALTH EFFECTS						
Classification of the chemical in ac GHS Hazard Symbols	cordance with paragraph (d)) of §1910.1200;				
GHS Hazard Symbols						
			•			
\sim		\mathbf{V}	V			
GHS Classification	Aspiration Hazard Skin Corrosion/Irri					
	Flammable Liquid					
		Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3				
	D					
Signal Word	Danger					
Hazard Statements		Flammable liquid and vapour.				
		May be fatal if swallowed and enters airways.				
	Causes skin irritatio May cause drowsin					
	They ended all with					
Precautionary Statements						
Prevention	Keep away from he	eat/sparks/open flames/hot surfaces	s. – No smoking.			
	Keep container tightly closed.					
		Ground/bond container and receiving equipment.				
		P241 - Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools.				
	Take precautionary	Take precautionary measures against static discharge.				
		Avoid breathing dust/fume/gas/mist/vapours/spray.				
		P264 - Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.				
	Wear protective gloves/protective clothing/eye protection/face protection.					
Dechenge	$\mathbf{D}_{201} + \mathbf{D}_{210} = \mathbf{I}_{equation} \mathbf{f}_{equation}$	allawadi Immadiataly, aall a naisan	contar destar or modical contar			
Response		allowed: Immediately call a poison skin: Wash with plenty of soap and				
			all contaminated clothing. Rinse skin with water/shower.			
			rest in a position comfortable for breathing.			
		P312 - Call a poison center, doctor or medical center if you feel unwell.				
		P321 - Specific treatment (see on this SDS). Do NOT induce vomiting.				
	If skin irritation oc	If skin irritation occurs: Get medical advice/attention.				
	P370+P378 - In cas	se of fire: Use proper media to extin	nguish.			
Storage	Keep container tigh	ntly closed.				
~~~~ <b>~</b>		Store in a well-ventilated place. Keep container tightly closed.				
		tilated place. Keep cool.				
	Store locked up.					
Disposal	Dispose of contents	s/container in accordance with loca	al/regional/national/international regulation for hazardous			
	wastes.					

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS #	Percent	
Petroleum distillates	64741-65-7	80 - 100	
Hydrocarbon mixture	64742-49-0	1 - 5	
Octamethylcyclotetrasiloxane	556-67-2	0.0001- 0.001	1
HMIS® III* HAZARDOUS WARN	VINGS:		
Health: 1	Flammability: 3	Physical: 1	Personal See Section 8 Protective

Equipment:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

# 4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.

- Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.
- Ingestion:Do not induce vomiting. Aspiration into the lungs can cause serious damage. Contact a physician, medical facility, or poison<br/>control center immediately. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.Inhalation:Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical<br/>attention.

#### NOTES TO PHYSICIAN:

This material is an aspiration hazard. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions);

5. FIRE FIGHTING MEASURES			
Fire and/or Explosion Hazards:	This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other		
Fire Fighting Instructions:	flames and ignition sources at locations distant from the material's handling point. Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area. Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus.		

# 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Wear appropriate clothing. Use absorbent material to dike around small quantities of spilled material. Spills of this material are slippery; use sand or other granular material to improve traction.

## 7. HANDLING AND STORAGE

Handling: Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor.
Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Empty container may contain residues which are hazardous. Store away from oxygen cylinders or other oxidizing materials and possible ignition sources.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:	Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from known, suspected or apparent adverse effects).			
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eve wash station available.			
Skin Protection:	The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.			
Respiratory Protection:	Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol. A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. If respiratory irritation develops below the recommended exposure limits, use an NIOSH approved nuisance dust/mist/organic vapor respirator.			
<b>COMPONENT</b>	<u>CAS #</u>	ACGIH TLV	OSHA PEL	<b>OTHER</b>
Petroleum distillates	64741-65-7	100 ppm TWA	500 ppm	Not established
Hydrocarbon mixture	64742-49-0	300ppm	Not established	Not established
Octamethylcyclotetrasiloxane	556-67-2	Not established	Not established	Not established

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Bulk liquid

Mild

120.2

80 - 100

Clear Colorless

Not applicable

No data available

No data available

Not determined

No data available

Petroleum solvent

Physical State: Appearance: Odor: Odor Threshold: pH: Melting/Freezing Point (°F): Boiling Point (°F):

Flash Point (°F PMCC): Evaporation Rate: Flammability (solid, gas): Percent VOCs (%):

#### 10. STABILITY AND REACTION

Chemical Stability: Conditions to Avoid: Stable. Avoid contact with: Strong oxidizing agents. Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Alkali. Strong acids. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons

Lower Flammability Limit (%):

Upper Flammability Limit (%):

Vapor Pressure (PSIG @ 70°F):

Autoignition Temperature (°F):

Decomposition Temperature (°F):

Vapor Density [air = 1]:

Solubility in Water:

octanol/water

Partial Coefficient: n-

Viscosity, dynamic (cSt):

Relative Density (H2O=1):

0.6

> 1.0

0.76

Not determined

Not determined

Not applicable

No data available

No data available

No data available

Decomposition Products:

metal surfaces. Alkali. Strong acids. Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Various hydrocarbons.

# 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental Toxicity:	No data available.	
Ingredient	CAS #	Toxicological Data
Petroleum distillates	64741-65-7	Dermal LD50 $>$ 2000 mg/kg
		Oral LD50 Rat > 2000 mg/kg
		Inhalation LC50 (4h) Rat $> 10$ mg/L
Octamethylcyclotetrasiloxane	556-67-2	Dermal LD50 Rat > 2400 mg/kg
		Oral LD50 Rat = $4800 \text{ mg/kg}$
		Inhalation LC50 (4h) Rat $> 12$ mg/L
		Inhalation LC50 (4h) Rat = $36 \text{ mg/L}$

#### 12. ECOLOGICAL INFORMATION

Ecological Toxicity: Mobility:	No data available No data available		
<b>Ingredient</b> Petroleum distillates		CAS # 64741-65-7	<b>Toxicological Data</b> Aquatic LC50 Bl gill > 1000 mg/L 24HR EC50 Daphnia > 1000 mg/L 24HR EC50 AQUATIC PLANTS > 1000 mg/L

#### 13. DISPOSAL CONSIDERATIONS

Disposal : Dispose according to Federal, State and local regulations.

#### 14. TRANSPORTATION INFORMATION **Proper Shipping name UN Number Hazard Class Packing Group** Agency UN1866 DOT Resin Solution 3 III IATA UN1866 Resin Solution 3 III Resin Solution Ш IMDG UN1866 3

## 15. REGULATORY INFORMATION

Warning: This product contains the following	g chemicals that are sub	ject to reporting requirements for th	ne following regulatory bodies listed below:	
COMPONENT	CAS #	% BY WEIGHT	Regulatory Body	
No components listed in this section.			SARA Section 313	
Warning: This product may contain chemical	s known to the State of	California to cause cancer. See list	below.	
No components listed in this section.			Prop65 Cancer	
Warning: This product may contain chemical	s known to the State of	California to cause birth defects. Se	ee list below.	
No components listed in this section.			Prop65 Birth Defects	

All components of this product are listed on the TSCA inventory.

#### **16. OTHER INFORMATION**

Other Information : SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 11/10/16

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.

**Stoner Incorporated** 

BL-3 Hot/G460

PAGE 3