Safety Data Sheet

300 TraSys® Tire Bladder Lubricant



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: TraSys® Tire Bladder Lubricant

Product Code: 300

Product Use: Mold Release

24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification Not classified as hazardous.

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT CAS # Percent

Not classified as hazardous.

HMIS @ III* HAZARDOUS WARNINGS:

Health: 2 Flammability: 1 Physical: 0 Personal See Section 8

Protective Equipment:

* See www.paint.org/hmis or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Wash clothing before reuse. Wash the contaminated skin with soap and water. Seek immediate medical

attention.

Ingestion: Do not induce vomiting.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

NOTES TO PHYSICIAN:

Treatment is symptomatic and supportive.

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Product is a water base material and is not ignitable. Hazardous decomposition products may be formed (see

Sec.10).

Fire Fighting Instructions: Use water spray, foam, dry chemical, or CO2. Water is generally not effective and may spread fire; however, water

spray may be used from a safe distance to cool closed containers and protect surrounding area. Fire fighters should

wear normal protective equipment and positive-pressure self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Stop or reduce discharge if it can be done safely. Avoid run-off into storm sewers and ditches which may lead to natural waterways. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly. Wear appropriate personal protective equipment (PPE). Remove all sources of ignition. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Ventilate contaminated area. If runoff occurs, notify authorities as required.

7. HANDLING AND STORAGE

Handling Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Normal precautions common to safe manufacturing practice

should be followed in handling and storage. Avoid prolonged or repeated breathing of vapor. Wash hands thoroughly after handling.

Storage: Keep container tightly closed when not in use. Normal precautions common to safe manufacturing practice should be followed in

handling and storage. Store away from incompatible materials such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases). Store in a cool, dry, well ventilated area away from all sources of ignition.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SDS (from

known, suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

Respiratory Protection: If respiratory irritation develops below the recommended exposure limits, use an NIOSH/MSHA approved respirator.

COMPONENT ACGIH TLV CAS# **OSHA PEL OTHER**

Not classified as hazardous.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Bulk liquid Lower Flammability Limit (%): Not applicable Appearance: Clear Colorless Clear to hazy. White to Upper Flammability Limit (%): Not applicable

off-white Milky White Clear with yellow tint Colorless to pale amber

Slightly opaque White

Odor: None to very faint Vapor Pressure (PSIG @ 70°F): No data available

Odor Threshold: Vapor Density [air = 1]: >1 None pH: Not applicable Relative Density (H2O=1):

Melting/Freezing Point (°F): Complete; 100% Solubility in Water: 32 Boiling Point (°F): No data available Partial Coefficient: n-No data available

octanol/water:

Flash Point (°F PMCC): Autoignition Temperature (°F): Not applicable Evaporation Rate: <0.020 (n-Butyl acetate = 1) Decomposition Temperature (°F): No data available

Flammability (solid, gas): No data available Viscosity, dynamic (cSt): 100cSt 5000 cst

Percent VOCs (%): 0.01 - 0.1

10. STABILITY AND REACTION

Chemical Stability: Stable

Conditions to Avoid: Avoid contact with: Extreme temperatures and direct sunlight. Oxidizers.

Burning can produce the following combustion products: Carbon dioxide and carbon monoxide. Sulfur Compounds. Decomposition Products:

Formaldehyde. When heated to temperatures above 150°C in the presence of air, one of the ingredients in this product can form formaldehyde vapors. Formaldehyde vapor is harmful by inhalation; irritating to eyes; sensitizer to the respiratory system; an acute toxicant and a potential cancer hazard at concentrations greater than 0.75 ppm.

11. TOXICOLOGICAL INFORMATION

Reproductive & No data available Developmental Toxicity:

IARC Carcinogen Designation: No data available

Ingredient CAS# **Toxicological Data**

No data available

12. ECOLOGICAL INFORMATION

Ecological Toxicity: No data available Mobility: No data available Degradability: No data available.

Ingredient CAS# **Toxicological Data**

No data available

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency **UN Number** Proper Shipping name **Hazard Class Packing Group**

DOT Not regulated by agency **IATA** Not regulated by agency **IMDG** Not regulated by agency

PAGE 2 Stoner Incorporated 300

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT CAS # % BY WEIGHT Regulatory Body
Acrylic Acid 79-10-7 < 0.0001 SARA Section 313

Toxic Substances Control Act

All components of this product are listed on the TSCA inventory.

California Prop 65

This product contains no California Proposition 65 ingredients that cause cancer, birth defects or other reproductive harm.

16. OTHER INFORMATION

Other Information: SDS Prepared by L. Dean Swartz, SDS Coordinator

Version Date: 03/06/20

This information contained in this SDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.