# **Safety Data Sheet** 94201 Gust® 360° Duster



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

## 1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538

**Product Name:** Gust® 360° Duster

94201 **Product Code:** Product Use: Duster

1-800-424-9300 [CHEMTREC] 24-hour emergency phone:

## 2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



**GHS Classification** Gases under pressure - Liquified Gas

Simple Asphyxiant Category 1

Signal Word Warning

**Hazard Statements** Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation

**Precautionary Statements** 

Storage Protect from sunlight. Store in a well-ventilated place.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**COMPONENT** CAS# **Percent** Halogenated hydrocarbon 811-97-2 80 - 100

HMIS® III\* HAZARDOUS WARNINGS:

Health: Flammability: 0 Physical: 0 Personal

Protective Equipment: See Section 8

## 4. FIRST AID MEASURES

Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there Eyes:

is visual difficulty, seek medical attention.

In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if Skin Contact:

symptoms persist. Wash clothing before reuse.

Ingestion is an unlikely route of exposure. Ingestion:

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical

#### NOTES TO PHYSICIAN:

Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support.

<sup>\*</sup> See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

## 5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: Gas is not flammable at ambient temperatures and atmospheric pressure. However, this material may become

combustible when mixed with oxygen or air under pressure or air above atmospheric pressure. Containers may

rupture or explode under fire conditions.

Fire Fighting Instructions: Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may

be used from a safe distance to cool closed containers and protect surrounding area.

## 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely.

#### 7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. Do not use near ignition sources. Do not breathe vapor. May cause frostbite.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at

temperatures above 120 degrees F. Empty container may contain residues which are hazardous.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the MSDS (from

known, suspected or apparent adverse effects).

Eye Protection: Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin Protection: The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with

skin

Respiratory Protection: A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved

respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

 COMPONENT
 CAS #
 ACGIH TLV
 OSHA PEL
 OTHER

 Halogenated hydrocarbon
 811-97-2
 Not established
 Not established
 1000ppm (mfr. recommend)

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Lower Flammability Limit (%): Not applicable
Appearance: None Upper Flammability Limit (%): Not applicable

Odor: Slight ethereal. Vapor Pressure (PSIG @ 70°F): 80
Odor Threshold: Very faint Vapor Density [air = 1]: 3.60
pH: Not applicable Relative Density (H2O=1): 1.22

Melting/Freezing Point (°F): -150 Solubility in Water: Negligible; 0-1%

Boiling Point (°F): No data available Partial Coefficient: n- 1.06

octanol/water:

Flash Point (°F PMCC): None Autoignition Temperature (°F): 1382 Evaporation Rate: 0.5-2 (n-Butyl acetate = 1) Decomposition Temperature (°F): 482

Flammability (solid, gas): No data available Viscosity, dynamic (cSt): No data available

Percent VOCs (%): < 0.0001

## 10. STABILITY AND REACTION

Chemical Stability: Stable. Do not mix with oxygen or air above atmospheric pressure. Any source of high temperature [>250 C], may form

hydrofluoric acid and possibly carbonyl fluoride decomposition products.

Conditions to Avoid: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Avoid contact with: Alkali.

Alkaline earth metals. Freshly abraded aluminum surfaces. Powdered metals. Magnesium. Zinc. Chemically active

metals: calcium, powdered aluminum, zinc, sodium, potassium, magnesium, etc.

Decomposition Products: This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming

hydrofluoric acid and carbonyl fluoride.

## 11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental No data available.

Toxicity:

IngredientCAS #Toxicological DataHalogenated hydrocarbon811-97-2No data available

Inhalation LC50 (4h) Rat > 500000 ppm

## 12. ECOLOGICAL INFORMATION

Ecological Toxicity: Presents little or no hazard to the aquatic environment.

Mobility: No data available

Degradability: Not considered biodegradable; 100% volatile.

Ingredient CAS # Toxicological Data

No data available

## 13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

## 14. TRANSPORTATION INFORMATION

Agency UN Number Proper Shipping name Hazard Class Packing Group

 DOT
 UN3159
 1,1,1,2-Tetrafluoroethane
 2.2

 IATA
 ID8000
 Consumer Commodity
 9

 IMDG
 UN3159
 1,1,1,2-Tetrafluoroethane
 2.2

## 15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT CAS # % BY WEIGHT Regulatory Body
No components listed in this section. SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

No components listed in this section. Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section. Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

## 16. OTHER INFORMATION

Other Information: MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 06/03/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.