Safety Data Sheet

94203 Gust® Easy Duster



Copying and/or downloading of this information for the purpose of properly utilizing Stoner Inc. product is allowed provided that: (1) the information is copied in full with no changes unless prior agreement is obtained from Stoner Inc., & (2) neither the copy nor the original is resold or otherwise distributed with intention of earning profit thereon.

1. IDENTIFICATION

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 1-800-227-5538 Product Name: Gust® Easy Duster

Product Code: 94203 Product Use: Duster

24-hour emergency phone: 1-800-424-9300 [CHEMTREC]

2. HAZARD IDENTIFICATION

POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Classification Not classified as hazardous.

3. COMPOSITION/INFORMATION ON INGREDIENTS

 COMPONENT
 CAS #
 Percent

 Halogenated hydrocarbon
 75-37-6
 80 - 100

HMIS® III* HAZARDOUS WARNINGS:

Health: 1 Flammability: 2 Physical: 1 Personal See Section 8

Protective Equipment:

4. FIRST AID MEASURES

Eyes: Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there

is visual difficulty, seek medical attention.

Skin Contact: In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if

symptoms persist. Seek medical attention if symptoms persist. Wash clothing before reuse.

Ingestion: Ingestion is an unlikely route of exposure.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical

attention.

NOTES TO PHYSICIAN:

Because of possible disturbances of cardiac rhythm, catecholamine drugs, such as epinephrine, should be used only in situations of emergency life support.

5. FIRE FIGHTING MEASURES

Fire and/or Explosion Hazards: This product contains a component(s) that is considered an extremely flammable gas(es), which has vapors that

are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point. Containers may rupture or

explode under fire conditions.

Fire Fighting Instructions: Use CO2, foam or dry chemical. Water is generally not effective and may spread fire; however, water spray may

be used from a safe distance to cool closed containers and protect surrounding area.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Ventilate contaminated area. Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely.

Stoner Incorporated 94203 PAGE 1

^{*} See www.paint.org/hmis or call the NPCA at 1 (202) 462-6272 for more information on this current rating system.

7. HANDLING AND STORAGE

Handling: Use with adequate ventilation. Do not use near ignition sources. Avoid prolonged or repeated contact with skin. Avoid prolonged or

repeated breathing of vapor. May cause frostbite.

Storage: Keep container tightly closed when not in use. Store in a cool, dry, well ventilated area away from all sources of ignition. Do not store at

temperatures above 120 degrees F. Empty container may contain residues which are hazardous. Store away from incompatible materials

such as materials that support combustion (oxidizing materials) and corrosive materials (strong acids or bases).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the MSDS (from

known, suspected or apparent adverse effects).

Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as Eye Protection:

chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or

airborne material. Do not wear contact lenses. Have an eye wash station available.

The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with Skin Protection:

Respiratory Protection: A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved

respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

COMPONENT CAS# ACGIH TLV **OSHA PEL OTHER**

1000ppm TWA (Mfr.) Halogenated hydrocarbon 75-37-6 Not established Not established

9. PHYSICAL AND CHEMICAL PROPERTIES

Lower Flammability Limit (%): Physical State: 3.9

Clear Colorless Upper Flammability Limit (%): Appearance: 16.9 Odor: Slight ethereal. Vapor Pressure (PSIG @ 70°F): 63.00 Odor Threshold: Mild Vapor Density [air = 1]: 2.40 pH: Not applicable Relative Density (H2O=1): 0.9

Melting/Freezing Point (°F): Negligible; 0-1% No data available Solubility in Water: Boiling Point (°F): No data available Partial Coefficient: n-No data available

octanol/water:

Flash Point (°F PMCC): -58 Autoignition Temperature (°F):

Not applicable No data available Evaporation Rate: <0.020 (n-Butyl acetate = 1) Decomposition Temperature (°F): Flammability (solid, gas): No data available No data available Viscosity, dynamic (cSt):

Percent VOCs (%): < 0.0001

10. STABILITY AND REACTION

Chemical Stability: Stable.

Conditions to Avoid: Avoid contact with: Alkali. Alkaline earth metals. Freshly abraded aluminum surfaces. Powdered metals. Ignition

sources such as open flames, sparks, static discharges or glowing metal surfaces.

Decomposition Products: This material can be decomposed by extremely high temperatures (open flames, glowing metal surfaces, etc.) forming

hydrofluoric acid and carbonyl fluoride.

11. TOXICOLOGICAL INFORMATION

Reproductive & Developmental No data available.

Toxicity:

Ingredient CAS# **Toxicological Data**

Refrigerant gas R 152a

Halogenated hydrocarbon 75-37-6 ORAL ALD Rat > 1500 mg/kg 4HR ALC Rat 383000 ppm

12. ECOLOGICAL INFORMATION

No data available **Ecological Toxicity:** Mobility: No data available

Ingredient CAS# **Toxicological Data**

No data available

UN1030

IMDG

13. DISPOSAL CONSIDERATIONS

Disposal: Dispose according to Federal, State and local regulations.

14. TRANSPORTATION INFORMATION

Agency **UN Number** Proper Shipping name **Hazard Class Packing Group** DOT UN1030 Refrigerant gas R 152a 2.1 Refrigerant gas R 152a 2.1 IATA UN1030

94203 PAGE 2 Stoner Incorporated

2.1

15. REGULATORY INFORMATION

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

COMPONENT

% BY WEIGHT

Regulatory Body SARA Section 313

No components listed in this section.

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

CAS#

No components listed in this section.

Prop65 Cancer

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section.

Prop65 Birth Defects

All components of this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Other Information: MSDS Prepared by L. Dean Swartz, MSDS Coordinator

Version Date: 06/07/15

This information contained in this MSDS is believed to be accurate as of the version date, but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Stoner Inc, it is the user's obligation to determine the conditions of safe use.